

# Vampire Standalone V4



[Order Now](#) from the manufacturer.

Standalone Amiga-compatible motherboard with record-breaking speed and comprehensive upgrades to classic Amiga technology.

---

## Signature

- **Target:** Standalone
- **Dimensions:** 123 x 100 mm
- **Designer:** ceach
- **Release Date:** 2019

## Specifications

- **FPGA:** Altera Cyclone V
- **CPU:** [Apollo 68080 Core](#)
  - Equivalent to 1000MHz 68030 / 500MHz 68040 / 250MHz 68060 <sup>1)</sup>
- **Memory:** 512 MB DDR3 RAM
- **Chipset:** [SAGA Core](#)
  - 12 MB of fast ChipRAM
- **Video:**
  - Modes up to 1280×720@60Hz, 1920×1080@24Hz
  - Color depths of 8, 15/16, 24, 32 bits per pixel
  - Hardware-accelerated video playback
  - [SAGA Native Graphics](#) (AGA with enhanced features and performance)
- **Audio:** 16-bit 56 kHz sampling rate, 24-bit mixing, 16 channels, panning
- **Networking:** 100BASE-TX Fast Ethernet
- **Internal Ports:**
  - 44-pin Fast IDE Interface
    - Up to 18 MB/s data transfer speed <sup>2)</sup>
  - JTAG Socket
  - 2 x SPI-capable Expansion Ports
  - I2S-capable Expansion Port
  - I2C
  - 68k Bus Expansion
- **External Ports:**

- Digital Video/Audio Out
- MicroSD Card
- 2 x USB-A
- RJ45 Ethernet
- 2 x DB-9
- Mini-B USB (board power)

## More details

- [Peripherals](#)
- [Stickers](#)
- [Troubleshooting](#)
- [Updates](#)

## Gallery





You are here: [start](#) » [vampire](#) » [vsa-v4](#)

- 1) Exact performance is application-dependent.
- 2) Speed boost depends on the highest PIO mode supported by the storage device.

From:  
<https://wiki.apollo-accelerators.com/> - **Apollo Accelerators**

Permanent link:  
<https://wiki.apollo-accelerators.com/doku.php/vampire:vsa-v4:start>

Last update: **2021/03/04 07:43**

